


INSTRUCTIONS




①x2
Ground Stakes




②x2
Bottom Poles



③x2
Middle Poles




④x2
Top Poles




⑤x2
Double Guy Ropes




⑥x2
Guy Ropes




⑦x1
Elastic rope




⑧x1
Net




⑨x20
Small Clips




⑩x25
White Bungees



⑪x14
Black Bungees




⑫x 6
Ground Nails




⑬x8
Small Pegs


a. Join metal pipes as shown.



b. Lie net out between poles as per diagram below
c. Use black elastic bungees(11) to attach net to outer poles every 30cm. Hook top and bottom of net through hooks on poles
d. Attach one end of large elastic rope (7) to clamp on one side (3), pass rope up the pole, through top hooks, weave through top of net every 4 spaces, through other pole's top hooks and down to other clamp. Do not tighten yet
e. Tie a loop knot onto single guy rope ends(6) and attach to outside hook on top of poles. Attach double guy ropes(5) to clamp on middle section(3) of poles



f. Insert the metal poles into the ground c22ft 2inches apart. You may need to insert ground stake (1) first and then clip other section onto it
g. Insert ground nails(12) into the ground approx. 3-5 ft from the poles. Use a hammer if needed to ensure ground nail in fully inserted
h. Take the end of the guy ropes(5 and 6), untie the knot at the slider end, pass the rope through the eye of the ground nail, back through the slider and re-tie the knot. The top guy rope (6) should be attached to the middle ground stake
i. Tighten guy ropes(5 and 6) using sliders and tension so that poles are straight. Use outer ropes(5) to tension back to front and middle rope (6) to tension side to side. Then tighten elastic rope (8) to fully tension poles and guy ropes and tie off through clamp



j. Insert goal (sold separately) into cavity of black net and fix together using white bungees provided (10)

k. Fold window of black net depending on width of goal used

-12ft wide goal – fully folded to third seam line on net


-10ft wide goal – half folded to middle seam line on net

-8ft wide goal – not folded/fully open


Clip the edge of the net to main net area as show in diagram along side and top edges using clips(9) provided

l. Peg (13) bottom of net to ground if desired

Soccer Goal 12x6FT



Soccer Goal 10x6FT



Soccer Goal 8x6FT

